CLINICA CHIMICA ACTA

INTERNATIONAL JOURNAL OF CLINICAL CHEMISTRY

Vol. 43 (1973)

Sponsored by the following National Societies:

Association of Clinical Biochemists, *Great Britain*
Belgische Vereniging voor Klinische Chemie, Société belge de chimie clinique, *Belgium*
Nederlandse Vereniging voor Klinische Chemie, *The Netherlands*
Deutsche Gesellschaft für Klinische Chemie, *Germany*
Société française de biologie clinique, *France*
Société suisse de chimie clinique, Schweizerische Vereinigung für klinische Chemie, *Switzerland*

Editor-in-chief:
S. C. Frazer, Aberdeen

Editors:
for the Americas – M. Rubin, Washington, D.C.
for the British Commonwealth – R. Gaddie, Cupar, Fife
for all other territories, including Europe – E. J. van Kampen, Groningen

Editorial Secretary:
Th. Strengers, P.O. Box 4073, Amsterdam, The Netherlands

ELSEVIER SCIENTIFIC PUBLISHING COMPANY
AMSTERDAM

All rights reserved: COPYRIGHT © 1973 BY ELSEVIER SCIENTIFIC PUBLISHING CO., AMSTERDAM

PRINTED IN THE NETHERLANDS

Vol. 43, No. 1 **CLINICA CHIMICA ACTA** **January 10, 1973**

CONTENTS

Nephelometric determination of pancreatic enzymes I. Amylase
L. ZINTERHOFER, S. WARDLAW, P. JATLOW AND D. SELIGSON (New Haven, Conn., U.S.A.) (July 14, 1972) 5

Comments on the "Recommendations of the German Society for Clinical Chemistry, Standardization of Methods for the Estimation of Enzyme Activity in Biological Fluids"
K. DEGGELLER AND C. R. J. SANDIFORT (Deventer, The Netherlands) (September 5, 1972) 13

A stable plasma lipoprotein and lecithin cholesterol acyltransferase control material
J. C. CHRISTIAN AND S. W. CHEUNG (Indianapolis, Ind., U.S.A.) (August 4, 1972) . . 23

Absence of hyponatraemia in African diabetics on chlorpropamide
B. KWAKU ADADEVOH, G. C. MENAKAYA AND T. I. FRANCIS (Ibadan, Nigeria) (June 8, 1972) 27

Inhibitors of the growth and aggregation of calcium oxalate crystals *in vitro*
W. G. ROBERTSON, M. PEACOCK AND B. E. C. NORDIN (Leeds, U.K.) (July 26, 1972) . 31

Analysis of bile acids and their conjugates in jejunal juice by thin-layer chromatography and direct densitometry
R. R. L. O'MOORE AND I. W. PERCY-ROBB (Edinburgh, U.K.) (August 7, 1972) . . . 39

Quantitation of cyst(e)ine in human fibroblasts and separation of cysteinesulfinic acid, cysteic acid and taurine
B. STATES AND S. SEGAL (Philadelphia, Pa., U.S.A.) (July 11, 1972) 49

Spectral characteristics of bilirubin–bovine albumin complexes
R. P. WENNBERG AND M. L. COWGER (Seattle, Wash., U.S.A.) (July 18, 1972) 55

Detection of glutethimide (Doriden®) by hemagglutination inhibition
J. C. VALENTOUR, W. W. HAROLD, A. B. STAVITSKY, G. KANANEN AND I. SUNSHINE (Cleveland, Ohio, U.S.A.) (July 17, 1972) 65

Quantitative assay for carbamazepine serum levels by gas–liquid chromatography
P. FRIEL AND J. R. GREEN (Seattle, Wash., U.S.A.) (June 16, 1972) 69

Simplified determination of serum iron and binding capacity by nitroso-R-salt without deproteinization
R. G. MARTINEK (Chicago, Ill., U.S.A.) (August 4, 1972) 73

A kinetic determination of ammonia in plasma
H. A. M. JACOBS AND F. M. F. G. OLTHUIS (Utrecht, The Netherlands) (August 22, 1972) 81

Chromatographic separation of pure phosphatidylcholine from crude egg lecithin
M. MARSH AND R. T. HOLZBACH (Cleveland, Ohio, U.S.A.) (June 16, 1972) 87

Some biochemical properties of a cryomacroglobulin
H. H. ZINNEMAN, V. L. FROMKE AND U. S. SEAL (Minneapolis, Minn., U.S.A.) (July 17, 1972) 91

A study of the direct *o*-toluidine blood glucose determination
C. F. FASCE, JR., R. REJ AND A. J. PIGNATARO (Albany, N.Y., U.S.A.) (June 13, 1972) 105

Investigation of possible intestinal peptidase deficiency in coeliac disease
H. J. CORNELL AND R. R. W. TOWNLEY (Melbourne, Australia) (April 29, 1972) . . . 113

Urinary excretion of 4-hydroxy-3-methoxyphenylglycol and 4-hydroxy-3-methoxyphenylethanol in man and rat
F. KAROUM, H. LEFÈVRE, L. B. BIGELOW AND E. COSTA (Washington, D. C., U.S.A.) (June 13, 1972) 127

Brief Technical Notes

Ethchlorvynol (placidyl) estimation in urine and serum
P. HAUX (Chicago, Ill., U.S.A.) (June 13, 1972) 139

A reaction rate method for the estimation of serum cholinesterase
T. D. LAVERY (Belfast, N. Ireland) (July 31, 1972) 143

Reports

Determination of catecholamines in the plasma of patients with essential hypertension and of normal persons
K. IMAI, M.-T. WANG, S. YOSHIUE AND Z. TAMURA (Tokyo, Japan) (July 13, 1972) . . 145

A method for the separate determination of isovalerate and α-methylbutyrate by use of GLC–mass spectrometer
K. TANAKA AND G. M. YU (Boston, Mass., U.S.A.) (September 25, 1972) 151

Calendar of Forthcoming Events 156

GENERAL INFORMATION

Publication

Clinica Chimica Acta appears fortnightly.

Submission of papers

Manuscripts should be sent **in duplicate** either to:
the Editorial Secretary, Dr. TH. STRENGERS, P. O. Box 4073, Amsterdam (The Netherlands)
or to one of the following Regional Editors:

for the Americas
Dr. M. RUBIN, Georgetown University School of Medicine, Dept of Biochemistry, Washington, D.C. 20007 (U.S.A.)

for the Commonwealth
Dr. R. GADDIE, Millbank Park, Cupar, Five, Scotland KY15 SEA (U.K.)

for all other territories, including Europe
Dr. E. J. VAN KAMPEN, Klinisch Chemisch Laboratorium, Diakonessenhuis, Groningen (The Netherlands)

Authors may always consult the nearest member of the Editorial Board before submitting their manuscripts.

Subscriptions

Subscription price per volume: Dfl. 75.00 (plus postage, including air delivery), for Nov. 1972/1973 Vols. 42, 43, 44, 45, 46, 47, 48 and 49.

For advertising rates apply to: ELSEVIER SCIENTIFIC PUBLISHING COMPANY, P.O. Box 211, Amsterdam, The Netherlands.
Subscriptions should be sent to: ELSEVIER SCIENTIFIC PUBLISHING COMPANY, P.O. Box 211, Amsterdam, The Netherlands.

All rights reserved: COPYRIGHT © 1973 BY ELSEVIER SCIENTIFIC PUBLISHING CO., AMSTERDAM PRINTED IN THE NETHERLANDS

For subscribers in the U.S.A. and Canada second class postage paid at Long Island City, N.Y. and at additional Mailing Offices.
Subscription price: Dfl. 600.00 = approx. U.S. $ 190,00 per year.
Further information will be supplied by the Publisher on request.

CONTENTS

Biosynthèse des glycoprotéines dans la paroi aortique étude de la *N*-acétyl-glucosaminyl-transférase microsomique de l'intima
J. GUIDOLLET ET P. LOUISOT (Ouillins, France) (July 14, 1972) 157

Formes moleculaires multiples de la gamma-glutamyl-transpeptidase
O. AZZOPARDI ET M. F. JAYLE ((Paris, France) (August 11, 1972) 163

Cystathioninurie: Trouble possible de régulation enzymatique
B. LAURENT ET J. COIGNET (Marseille, France) (September 16, 1972) 171

Serum β_2-microglobulin in various disorders
P.-E. EVRIN AND L. WIBELL (Uppsala, Sweden) (July 6, 1972) 183

Determination of α-amylase in serum and urine of subjects with a low bicarbonate concentration in the duodenal aspirate after secretin stimulation
H. ADLERCREUTZ, H. J. SALMI, K. SOININEN AND M. HÄRKÖNEN (Helsinki, Finland) (August 2, 1972) 187

Study of the activity of erythrocyte acid phosphatase in chronic renal failure
K. MELISSINOS, K. VLASSOPOULOS, G. DRIVAS AND G. KOUROUNIS (Athens, Greece) (August 10, 1972) 195

Adenosine triphosphate utilization by "young" and "old" red cells
M. D. SASS (New York, N.Y., U.S.A.) (September 13, 1972) 201

Investigations on acid phosphatase activity in human plasma and serum
C. P. MODDER (Amsterdam, The Netherlands) (July 27, 1972) 205

Determination of lower fatty acids, particularly the anti-epileptic dipropyl-acetic acid, in biological materials by means of microdiffusion and gas chromatography
J. W. A. MEIJER AND L. HESSING-BRAND (Heemstede, The Netherlands) (August 24, 1972) 215

Heterogeneity of human serum high-density lipoprotein (HDL_2)
S. L. MACKENZIE, G. S. SUNDARAM AND H. S. SODHI (Saskatoon, Saskatchewan, Canada) (August 29, 1972) 223

A radioimmunoassay for diphenylhydantoin
R. E. TIGELAAR, R. L. RAPPORT, J. K. INMAN AND H. J. KUPFERBERG (Bethesda, Md., U.S.A.) (August 17, 1972) 231

Changes in renal function in the rat during bromosulphophthalein (BSP) infusion
A. R. NOBLE, M. A. WINCH AND K. A. MUNDAY (Southampton, U.K.) (July 5, 1972) 243

Urinary excretion of tyrosine metabolites in spina bifida
T. DUCKWORTH, P. A. BOND, B. MCKIBBIN AND E. C. MITCHELL (Sheffield, U.K.) (July 7, 1972) 249

Serum cholesterol determination by gas-liquid chromatography
J. P. BLOMHOFF (Oslo, Norway) (July 14, 1972) 257

The use of suspensions of isolated rat mucosal cells to study mechanisms of iron absorption
J. W. HALLIDAY AND L. W. POWELL (Brisbane, Australia) (August 18, 1972) 267

Brief Technical Notes

A quick, semiquantitative determination of trypsin inhibitor capacity of human serum
L. PERÉNYI AND M. TORNYOSSY (Budapest, Hungary) (August 8, 1972) 277

Measurement of immunoglobulins in cerebrospinal fluid employing nephelometric immunoprecipitin techniques
L. M. KILLINGSWORTH AND J. SAVORY (Gainseville, Fla. and Chapel Hill, N.C., U.S.A.) (July 17, 1972) 279

Quantitation of the α-lipoprotein complex by agarose gel electrophoresis
J. DYERBERG AND N. HJØRNE (Copenhagen and Aalborg, Denmark) (October 25, 1972) 283

GENERAL INFORMATION

Publication

Clinica Chimica Acta appears fortnightly.

Submission of papers

Manuscripts should be sent **in duplicate** either to:
the Editorial Secretary, Dr. TH. STRENGERS, P. O. Box 4073, Amsterdam (The Netherlands)
or to one of the following Regional Editors:

for the Americas

Dr. M. RUBIN, Georgetown University School of Medicine, Dept of Biochemistry, Washington, D.C. 20007 (U.S.A.)

for the Commonwealth

Dr. R. GADDIE, Millbank Park, Cupar, Fife, Scotland KY15 SEA (U.K.)

for all other territories, including Europe

Dr. E. J. VAN KAMPEN, Klinisch Chemisch Laboratorium, Diakonessenhuis, Groningen (The Netherlands)

Authors may always consult the nearest member of the Editorial Board before submitting their manuscripts.

Subscriptions

Subscription price per volume: Dfl. 75.00 (plus postage, including air delivery), for Nov. 1972/1973 Vols. 42, 43, 44, 45, 46, 47, 48 and 49.

For advertising rates apply to: ELSEVIER SCIENTIFIC PUBLISHING COMPANY, P.O. Box 211, Amsterdam, The Netherlands.
Subscriptions should be sent to: ELSEVIER SCIENTIFIC PUBLISHING COMPANY, P.O. Box 211, Amsterdam, The Netherlands.

All rights reserved: COPYRIGHT © 1973 BY ELSEVIER SCIENTIFIC PUBLISHING CO., AMSTERDAM PRINTED IN THE NETHERLANDS

For subscribers in the U.S.A. and Canada second class postage paid at Long Island City, N.Y. and at additional Mailing Offices.
Subscription price: Dfl. 600.00 = approx. U.S. $ 190,00 per year.
Further information will be supplied by the Publisher on request.

Vol. 43, No. 3 **CLINICA CHIMICA ACTA** **February 12, 1973**

CONTENTS

A reliable fluorometric method for total urinary estrogens
U. GOEBELSMANN (Los Angeles, Calif., U.S.A.) (July 9, 1972) 285
Assay of plasma dehydroepiandrosterone and its sulphate by competitive protein binding
C. M. ANDRE AND V. H. T. JAMES (London, U.K.) (July 26, 1972) 295
Determination of serum creatinine by a direct colorimetric method
D. HEINEGÅRD AND G. TIDERSTRÖM (Växjö, Sweden) (September 13, 1972) 305
A source of error with the calcium-specific ion electrode. Solvent effects in aqueous solution
R. G. BURR (Aylesbury, U.K.) (September 13, 1972) 311
A new colorimetric micro-determination of free fatty acids in serum
A. NOMA, H. OKABE AND M. KITA (Tokyo, Japan) (September 18, 1972) 317
Isozymes of amino acid naphthylamidase in the synovial membrane and in synovial fluid
R. LEMPERG AND E. LUNDGREN (Umeå, Sweden) (September 9, 1972) 321
A rapid method for the determination of therapeutic barbiturate levels in serum using gas-liquid chromatography
A. J. WILLIAMS, T. W. G. JONES AND J. D. H. COOPER (Coventry, U.K.) (September 12, 1972) 327
Erythrozytenlipide bei progressiver Muskeldystrophie
D. KUNZE, G. REICHMANN, E. EGGER, G. LEUSCHNER UND H. ECKHARDT (Berlin, D.D.R.) (September 29, 1972) 333
The preparation and use of [^{125}I]steroid-albumin conjugates as tracers in steroid radioimmunoassays
S. L. JEFFCOATE, E. D. GILBY AND R. EDWARDS (London, U.K.) (October 4, 1972) . 343
A simple method for determining low levels of urinary oxypurine
D. J. LAYZELL (Auckland, New Zealand) (September 30, 1972) 351
A simple method for the determination of protriptyline in plasma
J. P. MOODY, S. F. WHYTE AND G. J. NAYLOR (Dundee, U.K.) (September 23, 1972) 355
An appraisal of routine methods for the determination of the anodal isoenzymes of lactate dehydrogenase
W. G. BRYDON AND A. F. SMITH (Edinburgh, U.K.) (September 16, 1972) 361
A method for the determination of plasma testosterone by competitive protein-binding after chromatography on Sephadex LH-20
J. AHMED (Newcastle upon Tyne, U.K.) (September 8, 1972) 371
Fluorimetric measurement of the phenylalanine content of human granulocytes
T. M. ANDREWS, R. GOLDTHORP AND R. W. E. WATTS (Harrow, U.K.) (September 12, 1972) 379
Effect of stimulators and inhibitors of hydrochloric acid secretion on numbers of oxidoreductase-positive gastric parietal cells in rats
F. BARBARINO, O. FODOR AND ST. POPESCU (Cluj, Roumania) (July 26, 1972) . . . 389
Effects of temperature and substrate concentration on the LDH/α-HBD ratio in heart and liver disease
M. J. MCQUEEN, I. W. C. GARLAND AND H. G. MORGAN (Glasgow, U.K.) (October 9, 1972) 397
β-Mercaptolactate cysteine disulfiduria in two normal sisters. Isolation and characterization of β-mercaptolactate cysteine disulfide
A. NIEDERWIESER, P. GILIBERTI AND K. BAERLOCHER (Zürich, Switzerland) (September 14, 1972) 405
Rapid test for the detection of Tay-Sachs disease heterozygotes and homozygotes by serum hexosaminidase assay
A. SAIFER AND A. L. ROSENTHAL (Brooklyn, N.Y., U.S.A.) (October 5, 1972) . . . 417
A gas-chromatographic method for the simultaneous determinating of phenobarbitone, primidone and phenytoin in serum using a nitrogen detector
J. H. GOUDIE AND D. BURNETT (St. Albans, U.K.) (October 17, 1972) 423

Brief Technical Note
Study of Creatine phosphokinase isoenzymes of serum and cerebrospinal fluid in a patient with Duchènne muscular dystrophy
A. P. BANERJI, P. P. KHOPKAR, D. H. DESHPANDE, and A. D. DESAI (Bombay, India) (August 19, 1972) 431

Reports
Electrophoretic study of hexosaminidases. Hexosaminidase C.
L. POENARU AND J. C. DREYFUS (Paris, France) (November 20, 1972) 439

(continued on p. III of cover)

GENERAL INFORMATION

Publication

Clinica Chimica Acta appears fortnightly.

Submission of papers

Manuscripts should be sent **in duplicate** either to:
the Editorial Secretary, Dr. TH. STRENGERS, P. O. Box 4073, Amsterdam (The Netherlands)
or to one of the following Regional Editors:

for the Americas
Dr. M. RUBIN, Georgetown University School of Medicine, Dept of Biochemistry, Washington, D.C. 20007 (U.S.A.)

for the Commonwealth
Dr. R. GADDIE, Millbank Park, Cupar, Fife, Scotland KY15 SEA (U.K.)

for all other territories, including Europe
Dr. E. J. VAN KAMPEN, Klinisch Chemisch Laboratorium, Diakonessenhuis, Groningen (The Netherlands)

Authors may always consult the nearest member of the Editorial Board before submitting their manuscripts.

Subscriptions

Subscription price per volume: Dfl. 75.00 (plus postage, including air delivery), for Nov. 1972/1973 Vols. 42, 43, 44, 45, 46, 47, 48 and 49.

For advertising rates apply to: ELSEVIER SCIENTIFIC PUBLISHING COMPANY, P.O. Box 211, Amsterdam, The Netherlands.
Subscriptions should be sent to: ELSEVIER SCIENTIFIC PUBLISHING COMPANY, P.O. Box 211, Amsterdam, The Netherlands.

All rights reserved: COPYRIGHT © 1973 BY ELSEVIER SCIENTIFIC PUBLISHING CO., AMSTERDAM PRINTED IN THE NETHERLANDS

(Contents, continued from p. IV of cover.)

Additional diagnostic procedures for the detection of abnormal red cell pyruvate kinase
K. G. BLUME, H. ARNOLD, G. W. LOHR AND E. BEUTLER (Freiburg, W. Germany and Duarte, Calif. U.S.A.) (October 25, 1972) 443

Immunochemical similarities between major and minor components of human placental alkaline phosphatase
D. W. Moss (London, U.K.) (November 9, 1972) 447

Disadvantages in the use of animal serum for quality control of serum iron binding capacity estimation
Victoria Butler (Coventry, U.K.) (November 17, 1972) 451

An improved method for the estimation of urinary 5-hydroxyindoleacetic acid and its application to the diagnosis of carcinoidosis
R. HUMBEL (Luxembourg, Luxembourg) (December 12, 1972) 453

Calendar of Forthcoming Events 435, 456

Author Index 437

Subject Index (a cumulative subject index will be issued at the end of the year)

For subscribers in the U.S.A. and Canada second class postage paid at Long Island City, N.Y. and at additional Mailing Offices.
Subscription price: Dfl. 600.00 = approx. U.S. $ 190,00 per year.
Further information will be supplied by the Publisher on request.

CLINICA CHIMICA ACTA Vol. 43 (1973)

AUTHOR INDEX

ADLERCREUTZ, H., SALMI, H. J., SOINEN, K. AND HÄRKÖNEN, M.
Determination of α-amylase in serum and urine of subjects with a low bicarbonate concentration in the duodenal aspirate after secretin stimulation . . . 187

AHMED, J.
A method for the determination of plasma testosterone by competitive protein-binding after chromatography on Sephadex LH-20 371

ANDRE, C. M. AND JAMES, V. H. T.
Assay of plasma dehydroepiandrosterone and its sulphate by competitive protein binding 295

ANDREWS, T. M., GOLDTHORP, R. AND WATTS, R. W. E.
Fluorimetric measurement of the phenylalanine content of human granulocytes 379

ARNOLD, H. see BLUME, K. G. 443

AZZOPARDI, O. ET JAYLE, M. F.
Formes moleculaires multiples de la gamma-glutamyl-transpeptidase . . . 163

BAERLOCHER, K. see NIEDERWIESER, A. 405

BANERJI, A. P., KHOPKAR, P. P., DESHPANDE, D. H. DESAI, A. D.
Study of creatine phosphokinase isoenzymes of serum and cerebrospinal fluid in Duchenne muscular dystrophy . . . 431

BARBARISO, F., FODOR, O. AND POPESCU, ST.
Effect of stimulators and inhibitors of hydrochloric acid secretion of numbers of oxidoreductase-positive gastric parietal cells in rats 389

BEUTLER, E. see BLUME, K. G. 443

BIGELOW, L. B. see KAROUM, F. 127

BLOMHOFF, J. P.
Serum cholesterol determination by gas-liquid chromatography 257

BLUME, K. G., ARNOLD, H., LOHR, G. W. AND BEUTLER, E.
Additional diagnostic procedures for the detection of abnormal red cell pyruvate kinase 443

BOND, P. A. see DUCKWORTH, T. 249

BRYDON, W. G. AND SMITH, A. F.
An appraisal of routine methods for the determination of the anodal isoenzymes of lactate dehydrogenase 361

BURNETT, D. see GOUDIE, J. H. 423

BURR, R. G.
A source of error with the calcium-specific ion electrode. Solvent effects in aqueous solution 311

BUTLER, VICTORIA
Disadvantages in the use of animal serum for quality control of serum iron binding capacity estimation 451

CHEUNG, S. W., see CHRISTIAN, J. C. . . 23

CHRISTIAN, J. C. AND CHEUNG, S. W.
A stable plasma lipoprotein and lecithin cholesterol acyltransferase control material 23

COIGNET, J., see LAURENT, B. 171

COOPER, J. D. H. see WILLIAMS, A. J. . . 327

COSTA, E. see KAROUM, F. 127

CORNELL, H. J. AND TOWNLEY, R. R. W.
Investigation of possible intestinal peptidase deficiency in coeliac disease . . . 113

COWGER, M. L. see WENNBERG, R. P. . . 55

DEGGELLER, K. AND SANDIFORT, C. R. J.
Comments on the "Recommendations of the German Society for Clinical Chemistry, Standardization of Methods for the Estimation of Enzyme Activity in Biological Fluids". 13

DESAI, A. D., see BANERJI A. P.

DESHPANDE, D. H., see BANERJI, A. P.

DREYFUS, D. see POENARU, L. 439

DRIVAS, G. see MELISSINOS, K. 195

DUCKWORTH, T., BOND, P. A., MCKIBBIN, B. AND MITCHELL, E. C.
Urinary excretion of tyrosine metabolites in spina bifida 249

DYERBERG, J. AND HJORNE, N.
Quantitation of the α-lipoprotein complex by agarose gel electrophoresis . . 283

ECKHARDT, H. see KUNZE, D. 333

EDWARDS, R. see JEFFCOATE, S. L. . . . 343

EGGER, E. see KUNZE, D. 333

EVRIN, P.-E. AND WIBELL, L.
Serum β_2-microglobulin in various disorders 183

FASCE, JR, C. F., REJ, R. AND PIGNATARO, A. J.
A study of the direct *o*-toluidine blood

glucose determination 105
FOFOR, O. see BARBARINO, F. 389
FRANCIS, T. I. see KWAKU ADADEVOH, B. 27
FRIEL, P. AND GREEN, J. R.
Quantitative assay for carbamazepine serum levels by gas-liquid chromatography 69
FROMKE, V. L. see ZINNEMAN, H. H. . . 91
GARLAND, I. W. C. see MCQUEEN, M. J. . 397
GILBY, E. D. see JEFFCOATE, S. L. . . . 343
GILIBERTI, P. see NIEDERWIESER, A. . . 405
GOEBELSMANN, U.
A reliable fluorometric method for total urinary estrogens 285
GOLDTHORP, R. see ANDREWS, T. M. . . 379
GOUDIE, J. H. and BURNETT, D.
A gas-chromatographic method for the simultaneous determination of phenobarbitone, primidone and phenytoin in serum using a nitrogen detector 423
GREEN, J. R. see FRIEL, P. 69
GUIDOLLET, J. ET LOUISOT, P.
Biosynthèse des glycoprotéines dans la paroi aortique étude de la N-acétyl-glucosaminyltransférase microsomique de l'intima 157
HALLIDAY, J. W. and POWELL, L. W.
The use of suspensions of isolated rat mucosal cells to study mechanisms of iron absorption 267
HÄRKÖNEN, M. see ADLERCREUTZ, H. . . 187
HAROLD, W. W. see VALENTOUR, J. C. . . 65
HAUX, P.
Etchlorvynol (placidy) estimation in urine and serum 139
HEINEGÅRD, D. AND TIDERSTRÖM, G.
Determination of serum creatinine by a direct colorimetric method 305
HESSING-BRAND, L. see MEIJER, J. W. A. 215
HJØRNE, N. see DYERBERG, J. 283
HOLZBACH, R. T. see MARSH, M. 87
HUMBEL, R.
An improved method for the estimation of urinary 5-hydroxyindole-acetic acid and its application to the diagnosis of carcinoidosis 453
IMAI, K., WANG, M.-T., YOSHIUE, S. AND TAMURA, Z.
Determination of catecholamines in the plasma of patients with essential hypertension and of normal persons 145
INMAN, J. K. see TIGELAAR, R. E. . . . 231
JACOBS, H. A. M. AND OLTHUIS, F. M. F. G.
A kinetic determination of ammonia in plasma 81
JAMES, V. H. T. see ANDRE, C. M. 295
JATLOW, P. see ZINTERHOFER, L. 5
JAYLE, M. F. see AZZOPARDI, O. 163
JEFFCOATE, S. L., GILBY, E. D. AND EDWARDS, R.
The preparation and use of [^{125}I]steroid-albumin conjugates as tracers in steroid radioimmunoassays 343
JONES, T. W. G. see WILLIAMS, A. J. . . 327
KANANEN, G. see VALENTOUR, J. C. . . . 65
KAROUM, F., LEFÈVRE, H., BIGELOW, L. B. AND COSTA, E.
Urinary excretion of 4-hydroxy-3-methoxyphenylglycol and 4-hydroxy-3-methoxyphenylethanol in man and rat . . . 127
KILLINGSWORTH, L. M. AND SAVORY, J.
KHOPKAR, P. P. see BANERJI, A. P.
Measurement of immunoglobulins in cerebrospinal fluid employing nephelometric immunoprecipitin techniques . 279
KITA, M. see NOMA, A. 317
KOUROUNIS, G. see MELISSINOS, K. . . . 195
KUNZE, D., REICHMANN, G., EGGER, E., LEUSCHNER, G. UND ECKHARDT,
Erythrozytenlipide bei progressiver Muskeldystrophie 333
KUPFERBERG, H. J. see TIGELAAR, R. E. . 231
KWAKU ADADEVOH, B., MENAKAYA, G. C. AND FRANCIS, T. I.
Absence of hyponatraemia in African diabetics on chlorpropamide 27
LAURENT, B. ET COIGNET, J.
Cystathioninurie: Trouble possible de régulation enzymatique 171
LAVERY, T. D.
A reaction rate method for the estimation of serum cholinesterase 143
LAYZELL, D. J.
A simple method for the determining low levels of urinary oxypurine 351
LEFÈVRE, H. see KAROUM, F. 127
LEMPERG, R. AND LUNDGREN, E.
Isozymes of amino acid naphthylamidase in the synovial membrane and in synovial fluid 321
LEUSCHNER, G. see KUNZE, D. 333
LOHR, G. W. see BLUME, K. G. 443
LOUISOT, P. see GUIDOLLET, J. 157
LUNDGREN, E. see LEMPERG, R. 321
MACKENZIE, S. L., SUNDARM, G. S. AND SODHI, H. S.
Heterogeneity of human serum high-density lipoprotein (HDL_2). 223
MCKIBBIN, B. see DUCKWORTH, T. . . . 249
MCQUEEN, M. J., GARLAND, I. W. C. AND MORGAN, H. G.
Effects of temperature and substrate concentration on the LDH/α-HBD ratio in heart and liver disease 397
MARSH, M. AND HOLZBACH, R. T.
Chromatographic preparation of pure phosphatidylcholine from crude egg lecithin 87
MEIJER, J. W. A. AND HESSING-BRAND, L.
Determination of lower fatty acids, particularly the anti-epileptic dipropylacetic acid, in biological materials by means of microdiffusion and gas chromatography 215
MELISSINOS, K., VLASSOPOULOS, K., DRIVAS, G. AND KOUROUNIS, G.
Study of the activity of erythrocyte acid phosphatase in chronic renal failure . . 195
MENAKAYA, G.C. see KWAKU ADADEVOH, B.
MITCHELL, E. C. see DUCKWORTH, T. . . 249

MODDER, C. P.
Investigations on acid phosphatase activity in human plasma and serum . . 205
MOODY, J. P., WHYTE, S. F. AND NAYLOR, G. J.
A simple method for the determination of protriptyline in plasma 355
MORGAN, H. G. see MCQUEEN, M. J. . . . 397
MOSS, D. W.
Immunochemical similarities between major and minor components of human placental alkaline phosphatase 447
MUNDAY, K. A. see NOBLE, A. R. 243
NAYLOR, G. J. see MOODY, J. P. 355
NIEDERWIESER, A., GILIBERTI, P. AND BAERLOCHER, K.
β-mercaptolactate cysteine disulfiduria in two normal sisters. Isolation and characterization of β-mercaptolactate cysteine disulfide 405
NOBLE, A. R., WINCH, M. A. AND MUNDAY, K. A.
Changes in renal function in the rat during bromosulphophthalein (BSP) infusion 243
NOMA, A., OKABE, H. AND KITA, M.
A new colorimetric micro-determination of free fatty acids in serum 317
NORDIN, B. E. C. see ROBERTSON, W. G. . 31
OKABE, H. see NOMA, A. 317
OLTHUIS, F. M. F. G. see JACOBS, H. A. M. 81
O'MOORE, R. R. L. AND PERCY-ROBB, I.W.
Analysis of bile acids and their conjugates in jejunal juice by thin-layer chromatography and direct densitometry . 39
PEACOCK, M. see ROBERTSON, W. G. . . 31
PERCY-ROBB, I. W. see O'MOORE, R. R. L. 39
PERÉNYI, L. AND TORNYOSSY, M.
A quick, semiquantitative determination of trypsin inhibitor capacity of human serum 277
PIGNATARO, A. J. see FASCE, JR, C. F. . . 105
POENARU, L. AND DREYFUS, J. C.
Electrophoretic study of hexosaminidases. Hexosaminidase C. 439
POPESCU, ST. see BARBARINO, F. 389
POWELL, L. W. see HALLIDAY, J. W. . . 267
RAPPORT, R. L. see TIGELAAR, R. E. . . 231
REICHMANN, G. see KUNZE, D. 333
REJ, R. see FASCE, JR, C. F. 105
ROBERTSON, W. G., PEACOCK, M. AND NORDIN, B. E. C.
Inhibitors of the growth and aggregation of calcium oxalate crystals in vitro . . 31
ROSENTHAL, A. L. see SAIFER, A. 417
SAIFER, A. AND ROSENTHAL, A. L.
Rapid test for the detection of Tay-Sachs disease heterozygotes and homozygotes by serum hexosaminidase assay 417
SALMI, H. J. see ADLERCREUTZ, H. . . . 187
SANDIFORT, C. R. J. see DEGGELLER, K. . 13
SASS, M. D.
Adenosine triphosphate utilization by "young" and "old" red cells 201
SAVORY, J. see KILLINGSWORTH, L. M. . . 279
SEAL, U. S. see ZINNEMAN, H. H. 91
SEGAL, S. see STATES, B. 49
SELIGSON, D. see ZINTERHOFER, L. . . . 5
SMITH, A. F. see BRYDON, W. G. 361
SODHI, H. S. see MACKENZIE, S. L. . . . 223
SOININEN, K. see ADLERCREUTZ, H. . . 187
STATES, B. AND SEGAL, S.
Quantitation of cyst(e)ine in human fibroblasts and separation cyteine-sulfinic acid, cysteic acid and taurine 49
STAVITSKY, A. B. see VALENTOUR, J. C. . 65
SUNDARM, G. S. see MACKENZIE, S. L. . . 223
SUNSHINE, I. see VALENTOUR, J. C. . . . 65
TAMURA, Z. see IMAI, K. 145
TANAKA, K. AND YU, G. M.
A method for the separate determination of isovalerate and α-methylbutyrate by use of GLC-mass spectrometer . 151
TIDERSTRÖM, G. see HEINEGÅRD, D. . . 305
TIGELAAR, R. E., RAPPORT, R. L., INMAN, J. K. AND KUPFERBERG, H. J.
A radioimmunoassay for diphenylhydantoin 231
TORNYOSSY, M. see PERÉNYI, L. 277
TOWNLEY, R. R. W. see CORNELL, H. J. . 113
VALENTOUR, J. C., HAROLD, W. W., STAVITSKY, A. B., KANANEN, G. AND SUNSHINE, I.
Detection of glutethimide (Doriden*) by hemagglutination inhibition 65
VLASSOPOULOS, K. see MELISSINOS, K. . 195
WANG, M.-T. see IMAI, K. 145
WARDLAW, S. see ZINTERHOFER, L. . . . 5
WATTS, R. W. E. see ANDREWS, T. M. . . 379
WENNBERG, R. P. AND COWGER, M. L.
Spectral characteristics of bilirubin-bovine albumin complexes 55
WHYTE, S. F. see MOODY, J. P. 355
WIBELL, L. see EVRIN, P.-E. 183
WILLIAMS, A. J., JONES, T. W. G. AND COOPER, J. D. H.
A rapid method for the determination of therapeutic barbiturate levels in serum using gas-liquid chromatography . . . 327
WINCH, M. A. see NOBLE, A. R. 243
YOSHIUE, S. see IMAI, K. 145
YU, G. M. see TANAKA, K. 151
ZINNEMAN, H. H., FROMKE, V. L. AND SEAL, U. S.
Some biochemical properties of a cryomacroglobulin 91
ZINTERHOFER, L., WARDLAW, S., JATLOW, P. AND SELIGSON, D.
Nephelometric determination of pancreatic enzymes I. Amylase 5

BLANK
PAGE